

GSTIN: 09AAVFD8470A1Z4

DRMS

+91 828 531 1735
+91 770 189 6505
+91 888 210 6896

DELHI RICE MILL STORE

A House of Modern Rice Mill Spare Parts Manufacturer

Email: delhiricemillstore@gmail.com





**MILTEC 6 STONE WHITNER
FEED SCREW**



**BHULLER WHITNER
BSPB FEED SCREW**



**BHULLER WHITNER
DSRS FEED SCREW**



**SIX STONE WHITNER
MAIN SHAFT**



**SIX STONE WHITNER
LOWER & UPPER RING**




**VTA-10/VT-15
BASE RING**



**VTA-5/VTA-10/VAT-15
BOTTAM RING**



**VTA-5/VTA-10/VAT-15
UPPER RING**



**IMPILLER FOR
HUSKAR**



**VTA-5/VTA-10/VAT-15
FEED SCREW**



BREAKER FLAT TYPE



**VTA-5/10/15
BREAKER**





KB 40/60 JALI FRAME



**KB 40/60/75
MAIN FRONT HOUSING**



**KB 40/60/75
OUTLET PLATE**



**KB 40/60
INLET SLEEVE**



**KB 40/60
SILKY CHUCKNUT**




**KB 40/60
SILKY BREAK PATTI**



**MILTEC SILKY
MIXING CHAMBER**



**BHULLER SILKY
MIXING CHAMBER**



**MILTEC/BHULLER SILKY
SCREW FEEDER**



**KB 40/60 SILKY
SCREW FEEDER**



**BHULLER SILKY
NOZZEL**



**RUBBER SHELLER HUSKER COUPLING
FOR MILTEC/BHULLER/STAKE**



**KB 40/60/75/80 SILKY MILLING ROLL****MILTEC SILKY MILLING ROLL****BHULLER SILKY MILLING ROLL****KB 40/60
BACK SIDE MAIN HOUSING****PADDY SEPARATOR KNIFE EDGE****MAGNETS****ADVANTAGE**

- ★ A special direct for breakage of Rice.
- ★ A Special with Dynamic Balancing.

- ★ Use S.S. 304, Alloy Steel EN-9, EN-31, C.S., Mangnies & Special Cast Grade Section For long Life.

Just Dial 24 x 365 Days
For any Rice Machine Spare Parts Solution



+91 828 531 1735
+91 770 189 6505
+91 888 210 6896



GRADDER PARTS




GRADDER PARTS



VTA BODY FRAME BOLT



GRADDER PARTS



AUTOMATIC RICE MILL SLIDING GATE VALVE

- We offer a wide range of electro Pneumatic Gate for Handling and controlling floe of grain, brain, husk and dust etc.
- Standard models in S.S. Fabricated constructions with available in range of 100 mm to 600 mm square /rectangular sizes.

Just Dial 24 x 365 Days
For any Rice Machine Spare Parts Solution



+91 828 531 1735
+91 770 189 6505
+91 888 210 6896

Abrasive Rollers & Stones




Transmission



Rice & Flour Mill Spares


Magnets



Imported-Satake and Buhler Sizer Screens



Imported-Made in Taiwan Screens



Spares-Whitener/Silky

Milling Roll



Screw Feeder



Satake - Inner and Bottom Rings



Silky Screen Frame



Elevators & Conveyors

Buckets



Belts



Bolts



Coupling



Just Dial 24 x 365 Days
For any Rice Machine Spare Parts Solution

+91 828 531 1735
+91 770 189 6505
+91 888 210 6896

COMPLETE RANGE OF MODERN GRAIN LAB EQUIPMENTS



DIGITAL GRAIN MOISTURE METER

Riceter^m Series Grain Moisture Tester



FEATURES

- Direct measurement of moisture content of paddy, brown rice, polished rice, barley, wheat, naked barley.
- No adjustment required even if variety of grains to be measured or ambient temperature change.
- Automatic calculation of average moisture content.
- Clear L.C.D. display. The figures are clear and easily read.
- All the operation is by touching the button gently.



MODEL TA-5

SPECIFICATIONS

RICE ANALYZER 6580

To determine the physical purity of rice & to calculate the morphological parameters of rice from flat bed scanner image with advance cluster separation algorithms. Analysis of calculating the dimensions of rice in terms of its individual length, breadth, area, L/B ratio, weight & shape factor (compactness, roundness, elongation and perimeter). Advance color analysis features to classify rice grain under foreign matter chalky, discolored, red grain, damage (manually entered) and green grain of rice with advance color calibration systems. Rice can be classified according to user specified parameters like "Head", "Big "Broken", "Small Broken", "Immature", "Admixture" etc.

SPECIFICATIONS

COMPUTERIZED RICE/GRAIN VERNIER 6980A

Analysis of calculating the dimensions of seeds / grain in items of its individual length, breadth, area, L/B ratio, weight and shape factor (compactness, roundness, elongation and perimeter). Measurement range 0.5mm to 15mm. Software protection through USB based dongle.

SPECIFICATIONS

SEED/GRAIN SORTER CUM ANALYZER 6850

To determine the physical purity of seed & to calculate the morphological parameters of seed from flat bed scanner image with advance cluster separation algorithms. Analysis of calculating the dimensions of seed/grain in items of its area, individual length and breadth. Seeds can be classified according to user specified parameters like "Head", "Medium", "Small" etc. Classification parameters of seed can be stored in database index with seed names



DIGITAL GRAIN MOISTURE METER



RICE LAB POLISHER



RICE SHELLER



RICE LENGTH GRADER



DIGITAL VERNIER CALIPER



MINI RICE MILL

Just Dial 24 x 365 Days

For any Rice Machine Spare Parts Solution



+91 828 531 1735
+91 770 189 6505
+91 888 210 6896

DRMS



DELHI RICE MILL STORE

Add; OM Market, Teligram Road Tiraha, Purvi GT Road By-Pass, Chhibramau
Distt.- Kannauj, Uttar Pradesh, Pin-209721